Analysis Grid of 8 solutions

		AdLedge	adloox	comScore	Integral Ad Science	Meetrics	MOAT	appnexus	Google
	Are you a platform?	No	No	No	No	No	No	Yes	Yes, an AdNetwork, a publisher and a DSP
	Are you a third-party vendor?	Yes	Yes	Yes	Yes	Yes	Yes	No	No
MRC ACCREDITATION	Has your solution been accredited by MRC for display viewability measurement? (yes / no)	No	Yes	Yes	Yes	Yes	Yes	No	Yes
	If yes, are you planning a renewal process with MRC in order to take into account the update of their recommendations?	Not Applicable	Yes	Yes	Yes	Yes	Yes, we have annual reviews with the MRC	Not Applicable	Yes
	If yes, when was your last accreditation for display?	Not Applicable	November 2014	August 2015	January 2016	December 2014	Our last accreditation was January 2015 for desktop display	Not Applicable	In 2013
	If yes, are you accredited for the latest guidelines published by the MRC?	Not Applicable	No. Update accreditation pending	Yes	Yes	Yes, interim update and review was conducted	Yes	Not Applicable	Q1 2016
	If no, when will your solution for display viewability measurement be accredited by MRC?	Currently under the MRC certification process, which should come to its end around late Q1 / early Q2 2016	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	AppNexus has been audited by EY in the context of the MRC accreditation. Final answers of the MRC committee are expected in Q4 2015. Note that AppNexus measurement technology is based on Alenty's technology that was accredited in 2013.	Not applicable
	Has your solution been accredited by MRC for video viewability measurement? (yes / no)	No	No	Yes	Yes	Yes	Yes	No	No
	If yes, are you planning a renewal with MRC in order to take into account the update of their recommendations?	Not Applicable	Not Applicable	Yes	Yes	Yes	Yes, we have annual reviews with the MRC	Not Applicable	Not applicable
	If yes, when was your last accreditation for video?	Not Applicable	Not Applicable	July 2015	January 2016	December 2014	Our last accreditation was January 2015 for desktop video	Not Applicable	Not applicable
	If yes, are you accredited for the latest guidelines published by the MRC	Not Applicable	Not Applicable	Yes	Yes	Yes, interim update and review was conducted	Yes	Not Applicable	Not applicable
	If no, when will your solution for video viewability measurement be accredited by MRC?	Currently under the MRC certification process, which should come to its end around late Q1 / early Q2 2016	Video viewability measurement was tested in 2015. Accreditation will occur in 2016.	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Video viewability measurement is tested in Q4 2015. Deployment is planned for early 2016. Accreditation will occur in 2016.	Audit is underway
	Have you been accredited by MRC for large banner?	No but in the scope of the current process accreditation (Q2 2016)	No but in the scope of the current process of accreditation	Yes, included in the service since March 2015	Yes	Yes, based on stated information, will be reviewed during next audit in Q1/2016	Yes	In the scope of the current process of accreditation, AppNexus applies for accreditation of large banners.	No
VIEWABILITY DEFINITIONS	What is your definition of ad viewability for display?	Following IAB / MRC standards: at least 50% viewable for one consecutive second	Following IAB / MRC standards: at least 50% viewable for 1 consecutive second	Following IAB / MRC standards: at least 50% viewable for 1 consecutive second	Following IAB / MRC standards: at least 50% viewable for 1 consecutive second	Following IAB / MRC standards: at least 50% viewable for 1 consecutive second	Following IAB / MRC standards: at least 50% viewable for 1 consecutive second	Following IAB / MRC standards: at least 50% viewable for 1 consecutive second	Following IAB / MRC standards: at least 50% viewable for 1 consecutive second
	What is your definition of ad viewability for video?	Following IAB / MRC standards: at least 50% viewable for 2 consecutive seconds	Following IAB / MRC standards: at least 50% viewable for 2 consecutive seconds	Following IAB / MRC standards: at least 50% viewable for 2 consecutive seconds	Following IAB / MRC standards: at least 50% viewable for 2 consecutive seconds	Following IAB / MRC standards: at least 50% viewable for 2 consecutive seconds	Following IAB / MRC standards: at least 50% viewable for 2 consecutive seconds	We are currently testing the IAB definition (50% of pixels for 2 seconds) for our video viewability solution.	Following IAB / MRC standards: at least 50% viewable for 2 consecutive seconds
	Do vendors require custom viewability thresholds to be at least as stringent as the existing MRC viewable impression thresholds?	Yes	Yes	Yes	Yes	Yes	Yes	No	Not applicable
	When custom thresholds are used, does the vendor also report the viewability based on Standard thresholds?	Yes	Yes	Yes	Yes	Yes	Yes	Custom definitions are provided on top of IAB definition.	Not applicable
	If the vendor does permit thresholds below the existing standard, are they labeled something other than "Viewable Impressions (e.g. Zero Time Impressions where there is a pixel threshold but no time requirement)?	Yes	No	At this time, clients have not requested thresholds below MRC Standards. However, we do plan to address this accordingly if the need arises	Yes	No other term - but the respective treshold values are always shown next to the impression counts.	Yes	Viewability results based on custom definitions are reported with specific naming conventions to distinguish them from the standard viewability metrics.	Not applicable
METHOD OF MEASUREMENT OF VIEWABILITY	Do you use a geometric method to determine whether an ad is viewable?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Do you use a browser optimisation method to determine whether an ad is viewable?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Do you use the IAB SafeFrame API?	No	Yes	No	No (because we can track viewability with our standard methods in those instances)	Yes	Yes	No	No
	If yes, how do you restore its results in your viewability measurement method?	Not Applicable	Undisclosed	Not Applicable	Not Applicable	Optional feature in specific setups to gather position data	If IAB SafeFrame API is available: combination with Moat geometric triangulation approach to calculate viewability. If IAB SafeFrame API is not available: using Flash browser optimization signals in desktop browsers, i.e. IE, Chrome and Safari	Not Applicable	Not applicable
	Do you use any other API?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	If yes, please provide CESP with the list of API used?	Page Visibility API API Flash Throttle	Undisclosed	Page Visibility API that is present in modern browsers API Flash Throttle that is relevant to comScore's Timing Method (cf. comScore's browser optimization).	Page Visibility API	PageVisibilityAPI	Specific browser API (e.g. JavaScript APIs native to Firefox)	Browser viewability API when available	Not applicable
	If yes, please indicate which information is taken into account for your viewability measurement	We use the page visibility API to detect the tab focus, and over native events. We use the flash throttle event for the BO method	Undisclosed	The Page Visibility and Flash Throttle APIs are used in combination with comScore's other own (independent) measurements In the event that the Page Visibility API reflects that the page is visible, we independently measure the viewability of the ad (creative) itself. So you should view this as (a) when the page visibility API tells us that the page isn't visible, the ad cannot be visible and (b) when the page visibility API tells us the page is visible, we must still determine whether the ad itself is visible (within the viewable area of the screen, meeting required pixel and time thresholds). With respect to the Flash Throttle indicator, we also independently measure the frame rate to assure that the ad creative is actually painted to the screen.	To detect when a webpage is visible or in focus	The PageVisibility-API contains information about the tab focus in some situations that is used during the viewability calculation	We use the same information as the geometric calculation, so position of the safeframe on the page, position of the scroll bar and size of the browser viewport.	Everything that is relevant, including system information.	Not applicable
	In some situations do you mix your geometric method and your browser optimization?	No	Undisclosed	No	Yes for sanity check and fraud detection	Yes	No	Yes, when some signals are available.	No
	If yes, how do you deal with discrepancies in results between two measurement methods?	Not Applicable	Undisclosed	Not Applicable	Discrepancies will lead us to consider those impressions either as fraudulent or unmeasured	Browser optimization is only used as enriching data in order to obtain page focus information where other methods to retrieve this data are not available. So there cannot be conflicting results	Not Applicable	Used in order to validate the browser optimization approach	Not applicable

	adledge	adloox	comScore	Integral Ad Science	Meetrics	MOAT	appnexus	Google
Do you filter on auto-refresh impressions considering an excessive refresh rate as a risk of IVT?	No filter of auto-refresh impressions	Yes	Yes	Yes	No	Yes	Yes, high frequency auto refreshes are filtered prebid (no impression is served)	Yes
If yes, what is the threshold / rate defined (high level of frequency of auto refreshes)?	Not Applicable	Undisclosed	comScore IVT treatments consider excessive activity as a sign of invalid traffic but it's important to note the same phenomenon could be triggered by automated traffic (bots) rather than an auto-refresh command on the page. We would capture both. But we do no exclude auto-refresh activity unless it triggers the relevant IVT detection flags. In those (legitimate) cases, each refresh would typically serve a different ad, each of which would be subject to standard viewability thresholds.	Undisclosed	Not Applicable	Note that MOAT has developed Viewability Diagnostic Metrics which detect the portion of impressions served in a backgrounded tab. High rates of "Out of Focus" impressions are likely indicative of Autorefresh. We are not trying to exclusively detect auto-refresh rates but measure the percent of impressions we see delivered in a minimized or backgrounded tab. In many cases high auto-refresh rates significantly impact "Out of Focus" rates.	Complex set of rules	Google does not allow auto refresh ads on O&O properties (e.g. YouTube.com, google.com) See https://support.google.com/adsense/answer/1346295?hl=en# Auto-refreshing_ads Moreover, regarding Doubleclick For Publisher: Google does not have direct control over publisher's site-initiated auto refresh
Do you measure page takeover ads?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
If yes, do you measure each component of the page takeover separately?	Yes	Undisclosed	Yes	Yes	Yes (default)	If the ad is a roadblock, meaning multiple ad slots on a page are serving ads for the same advertiser then, we measure each ad separately. If the ad is a pop-up that covers the entire page we count and measure that as a single ad unit	Yes	Not applicable
If yes, do you develop a customised approach with the client based on a test page?	No	Yes	No	No	Other options possible on request - will be disclosed to involved parties	Yes, if the ad is a custom ad with non-standard behavior	No	Not applicable
If yes, how do you report page takeover viewability? A) you report a figure for each component measured (as per MRC viewable impression guidelines)	Yes	Undisclosed	Yes	Yes	Yes (default)	If the ad is a roadblock, meaning multiple ad slots on a page are serving ads for the same advertiser then, we measure each ad separately. If the ad is a pop-up that covers the entire page we count and measure that as a single ad unit	Yes	Not applicable
If yes, how do you report page takeover viewability? B) you report the highest figure attained by a component	No	Undisclosed	Not Applicable	No	No	No	No	Not applicable
If yes, how do you report page takeover viewability? C) you aggregate the figures of each component into one figure	No	Undisclosed	Not Applicable	No	Other options possible on request - will be disclosed to involved parties	No	No	Not applicable
Do you measure rising star formats?	Yes	Yes	Yes	Yes, partially	Yes	Yes	Yes	Yes
If yes, please specify which format you measure?	All	All	All Sizes	IAB Rising Stars, with the exception of Portrait, Sidekick, and Slider in cross-domain iframes	Billboard, Filmstrip, Portrait, Pushdown, Sidekick, Slider	Moat mesures all rising start formats	All formats	All listed there http://www.iab.com/guidelines/rising-stars-ad-units/
If yes, how frequently do you update your list of rising star formats?	Not applicable because the size is being calculated on the fly	Depending on live campaigns, can be every week	N/A - our measurement is not impacted by introduction of new Rising Star ad sizes.	IAB updates are closely followed	Each time there are new formats used by customers	Daily	No list of formats is required. Set-up is automatic.	Not applicable (done at the ad server level)
Does Facebook allow you to measure viewability on their inventory?	No	No	No, however in development	No	No	Yes	No	No
If yes, which method do you use?	Not Applicable	Not Applicable	We will receive viewability data from Facebook and validate it independently	Not Applicable	Not Applicable	Geometric approach	Not Applicable	Not applicable
Does Youtube allow you to measure viewability on their video inventory?	No	No	No, however in development	No, however in development	No. Only Completion Rate with Vast tracking until JS is accepted	No, however in development	No	Yes
If yes, which method do you use?	Not Applicable	Not Applicable	We will receive viewability data from YouTube and validate it independently	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Geometric
Do any other website (e.g. Microsoft, Yahoo!, Orange, Amazon) allow you to measure viewability on their inventory?	Yes	Yes	Yes	Yes	Yes, all listed ones	We have measured viewability on all these platforms. In general so long as a publisher accepts 3rd parry JavaScript tags we can measure ad viewability.	Yes	Yes
If yes, please specify which ones?	Microsoft, Yahoo!, Orange	MSN, AppNexus, Amazon, Yahoo!, Orange, Google	vME, our publisher solution, currently has 25 publisher clients. However, we do not have their permission to disclose them by name.	Every website allowing 3rd-party viewability measurement to run on their inventory	Microsoft, , Amazon, Yahoo!, Orange	Microsoft, Amazon,Yahoo!, Orange	Microsoft, Yahoo!, Amazon, Orange allow AppNexus to measure viewability. Others allow AppNexus too without mentioning it explicitely	All publishers either using Google SDK or all publishers part of AdExchanges available on DBM that allow video viewability measurement
Video								
Does your solution measure viewability of videos published in formats other than Flash? (HTML 5)	Yes	Yes	Yes	Yes	Yes	Yes	In development	Yes on AdWords DCM/DBM coming soon
Is your solution able to measure video ads without VPAID protocol (only VAST)?	Yes, implementing a specific technical integration in order to follow the MRC guidelines	Yes, implementing a specific technical integration in order to follow the MRC guidelines	Yes, implementing a specific technical integration in order to follow the MRC guidelines	Yes, implementing a specific technical integration in order to follow the MRC guidelines	Yes, implementing a specific technical integration in order to follow the MRC guidelines	Yes, implementing a specific technical integration in order to follow the MRC guidelines	In development	Yes
Is your solution compliant with VPAID?	Yes	Yes	Yes	Yes	Yes	Yes	In development	Yes
For some specific cases, do you provide custom measurement not based on VPAID or VAST? (ad-hoc plugins, wrappers, etc.)	Yes	Yes	Yes. Note that both VPAID wrapper and plugins have been tested compliant with MRC (and IAB) measurement standards	Yes	Yes	Yes, we can provide direct player integrations	In development	No
Cross-domain iframes								
Does your solution measure ads served on cross-iframes within browsers that do not support Flash?	Yes	Yes	Yes. Flash support is only required for webkit browsers and IE10 and higher.	Yes (Firefox)	Yes	Yes, for Firefox we use a non-flash approach and for other browsers we will use a safe frame API. If neither of these are an option then we would declare the impression unmeasureable	On some versions of IE and on Firefox, yes. On webkit browsers, no.	Browser specific solutions allow us to measure without Flash
Does your solution have limitations on Chrome?	No	No	No	No	No	No	No	Yes
If yes, please indicate which ones?	Not Applicable	Not Applicable	N/A	Not Applicable	Not Applicable	Not Applicable	Not Applicable	We cannot measure within cross-domain iframes when Flash is not available
Does your solution have limitations on Firefox?	No	No	No	No	No	No	No	No
If yes, please indicate which ones?	Not Applicable	Not Applicable	N/A	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Does your solution have limitations on Safari?	No	No	Yes	No	Yes	No	No	Yes
If yes, please indicate which ones?	Not Applicable	Not Applicable	comScore do not currently report viewability for cross-domain impressions delivered via Safari (note that comScore use projection techniques to estimate viewability in the vCE Audience component)	Not Applicable	Flash required	Not Applicable	Not Applicable	We cannot measure within cross-domain iframes when Flash is not available

	adledge	adloox	comScore	Integral Ad Science	Meetrics	MOAT	appnexus	Google
TAGGING PROCESS — If you are a third-party vendor, do you have deals with ad-serving platforms or DSP?	There are no deals, but we are integrated with partners like Videology or Massmotion	Yes	Yes	Yes	Yes	Yes	Not applicable	Not applicable
If you are a platform, what about ad viewability measurement outside your platform?	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	AppNexus measures inventory that is traded on its platform only. This includes inventory served from other platforms but purchased on AppNexus, and inventory purchased on other platforms but served on AppNexus	Not applicable. Active View is integrated into Google solutions, you need to use at least one of its technologies to be able to measure viewability (DBM, DCM, DFP, GDN, Adx or YouTube reservation)
If your solution relies on a tag, do you provide your clients with detailed documentations to help them in the tag implementation?	Yes	Yes	Yes	Yes	Yes	Yes	Not applicable	Not applicable
Is it possible to automate the tag insertion?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No. There is no tag insertion
If yes, please specify when it is the case	If the partner can integrate our tag to its system (DSP for instance)	when the adserver or dsp is willing to open the door to such a dev…	macros have been developed with all major adservers	Macros-enabled tags are available for all the major adservers/DSP/SSP and can be specifically built for additional / proprietary platforms	Many adserving systems offer ways to permanently insert a generic tracking code (e.g. DFP creative wrapper option in network settings or DCM Event Tags).	See Appendix 1 Question *"If there are manual steps, please describe them"*	Always enabled by default automatically	Not applicable
TESTING PROCEDURE / Quality Assurance — Do you have a specific QA (Quality Assurance) procedure helping clients to ensure that the tag is correctly implemented for a specific campaign?	Yes	Yes	Yes	Yes	For first time implementations we are asking for a testpage from our customers. For regular campaigns our campaign management tests is using an internal alerting system.	Yes	Not applicable (automatic tagging)	Not applicable. There is no tag insertion
INVALID TRAFFIC — How do you define invalid traffic?	Currently : * obsolete data version, * badly formatted data, * incoherent data * black listed ips * black listed user agent	We rank each impression>campaign>provider>exchange	Traffic to a website or application that is generated, either intentionally or unintentionally, by invalid sources. This includes non-human and fraudulent traffic, as well as other sources of online traffic that is not generated by genuine human interest. IVT is also referred to as non-human traffic [NHT]. The Media Rating Council has established two categories of IVT – General IVT and Sophisticated IVT. • General IVT: consists of traffic identified through routine means of filtration and includes but is not limited to known data-center traffic, bots, spiders and crawlers. • Sophisticated IVT: consists of more difficult-to-detect activity that requires significant human intervention, advanced analytics and multipoint corroboration that includes data assets well beyond simple campaign data. Examples of Sophisticated IVT include but are not limited to hijacked devices, adware, malware and incentivized traffic. *Importantly, comScore detects and reports both General and Sophisticated IVT.	Deliberate practice of attempting to serve ads that have no potential to be viewed by a human user	Meetrics consider non-human traffic (NHT) or other forms of fraudulent traffic as invalid. We follow General as well as Sophisticated Invalid Traffic Detection practices as defined by the MRC.	Moat follows the MRC guidelines on classifying and reporting Invalid or Non-Human Traffic. These include two broad categories, General and Sophisticated. Examples of General are spiders and bots, traffic coming from known data centers, etc. Examples of Sophisticated include browser spoofing, hijacked devices, and other forms of invalid traffic that aims to present itself as valid	See below	Google create a specific website: https://www.google.com/ads/adtrafficquality/
Which different categories of invalid traffic do you identify?	* Robots, * blacklisted ips, * Invalid browsers, * Invalid data	We cover everything known in this doc http://jicwebs.org/images/JICWEBS_Traffic_Taxonomy_October_2015.pdf	vCE detects and filters both General and Sophisticated IVT as defined in the MRC Invalid Traffic Guidelines Addendum. We do not disclose the details of our detection methods in order to protect the security/integrity of the process. A very basic description would include (General) 2-pass filtration based on the IAB Robots & Spiders and Valid Browser lists, comScore and Publisher Internal Traffic, Outliers and specific indenfication of (Sophisticated) IVT. While we do not report detection/filtration on an individual filter level, we do report Spider & Bot Impressions, Invalid Browser Impressions, IVT/Non-Human Traffic Impressions and high level categories of invalid traffic as follows: Invalid User Characteristics, Non-human behavior and Anomalous Traffic Trends. Within these, we are capturing invalid activity from Bot nets, hijacked devices, click farms, data center traffic, adware traffic, spiders, content scrapers, pay per view networks, hidden ads, ad stacking, domain launder and outlier activity.	General and Sophisticated Invalid Traffic based on MRC guidelines	General Invalid traffic (i.e. declared crawler or spider bot) as well as Sophisticated Invalid traffic resulting from fraudulent activities.	We identify both general and sophisicade invalid traffic based on MRC guidelines	AppNexus defines 7 types of invalid traffic: Non-human generated impressions Non-human generated clicks Hidden ads Misrepresented source "No quality" site - sole purpose is to serve ads Malicious ad injection Policy-violating content – e.g. porn, piracy	https://www.google.com/ads/adtrafficquality/
Do you take into account the IAB's Robots & Spiders lists in your filtering process?	Yes	Yes	Yes We also use IAB's Valid Browser list as required by IAB and JICWEBS Standards (together these comprise "2-pass" filtration to eliminate known bots and unknown user agents	Yes	Yes	Yes	Yes	https://www.google.com/ads/adtrafficquality/
Do you exclude invalid traffic when you measure viewability?	Yes	Yes	Yes	Yes	General invalid traffic is removed from total gross impression numbers in order to get rendered served (valid) impressions. Viewable impressions are shown initially including impressions that were deemed fraudulent based on Meetrics' sophisticated fraud detection mechamisms to ensure comparability to other vendors. In a "Meetrics Fraud Filtered Viewable Impressions" column the number of viewable and non-fraudulent impressions is shown.	We provide filtered and unfiltered counts	Note that invalid traffic is filtered out of the platform before the auction. No impression is generated, so no post-bid filtering is necessary on AppNexus	Yes
Do you apply a second step of processing on historical data (logs,...) to detect a posteriori invalid traffic to deliver viewability results?	No	Yes	Yes	Yes	Yes	No	Historical analysis is performed to improve the prebid filtering	Yes
Can you please provide CESP with the volumes of invalid traffic split into the different categories of invalid traffic in France (average, minimum and maximum)?	Average of invalid traffic: 5% (min: 3% - max: 6%) Split per display / video not available	Undisclosed	Display: 1,9% (min: 0,3% - max: 13,8%) Video: 0,6% (min: 0,1% - max: 0,5%) Figures include both general and sophisticated invalid traffic	Average Q3 2015 France = 7,1% of impressions Split per display / video not available in the benchmark	Declared crawlers: in average 0,5%, individual domains between 0 - 3%. Sophisticated fraud patterns: in average 3%, individual domains between 0 - 100%	No	Not available, as invalid traffic is not transacted	Undisclosed

		Google (adledge)	adloox	comScore	Integral Ad Science	Meetrics	MOAT	appnexus	Google
RESULTS & REPORTING	Do you deliver the MRC standard metrics for viewability?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Do you provide your clients with methodological documentations? Yes in UI, yes on request, no	Yes on request	Yes on request	Yes, in the UI	Yes in UI, Yes on request	Yes	Yes in UI, yes on request	Yes in UI	Yes, on request
	Do you provide publishers with a DOM of your solution?	Yes	Yes	Yes. The DOM is available to all publisher clients.	Yes	Yes, if they are clients Clients are informed of all important changes in the methodology (communication of a DOM update and information displayed in a message window on the login page)	Yes	A DOM, description of AppNexus ad-viewability measurement process and methodology is provided to AppNexus' clients prospects and partners only - AppNexus provides full documentation on its measurement and reporting capabilities - AppNexus has created a 3-level support for ad-viewability: ---> TAMs (Technical Account Managers) are trained to answer most clients' questions ---> Ad-viewability experts, or SMEs (Subject Matter Experts) can investigate more complex questions that TAMs cannot solve ---> If necessary, SMEs can contact the ad-viewability engineering team	Yes on request
	Do you provide agencies with a DOM of your solution?	Yes	Yes	Yes. The DOM is available to all agency clients.	Yes	Yes, if they are clients Clients are informed of all important changes in the methodology (communication of a DOM update and information displayed in a message window on the login page)	Yes	A DOM, description of AppNexus ad-viewability measurement process and methodology is provided to AppNexus' clients prospects and partners only - AppNexus provides full documentation on its measurement and reporting capabilities - AppNexus has created a 3-level support for ad-viewability: ---> TAMs (Technical Account Managers) are trained to answer most clients' questions ---> Ad-viewability experts, or SMEs (Subject Matter Experts) can investigate more complex questions that TAMs cannot solve ---> If necessary, SMEs can contact the ad-viewability engineering team	Yes on request
	What standard metrics do you provide to all your clients?	See sheet "Metrics"	Undisclosed	See sheet "Metrics"	See sheet "Metrics"	See sheet "Metrics"	See sheet "Metrics"	See sheet "Metrics"	seet sheet "Metrics"
	Regarding the list of metrics, please provide CESP with the method of calculation of the different indicators?	See sheet "Metrics"	Undisclosed	See sheet "Metrics"	See sheet "Metrics"	See sheet "Metrics"	See sheet "Metrics"	See sheet "Metrics"	https://support.google.com/dcm/partner/faq/6188567?hl=en
	What is the frequency of metric's publication on your platform ? (D, D+1, D+2, D+n…)?	One hour	Different options, live or day +1 depending on capabilities of client.	Daily, reported overnight for the prior day	Results are published daily	The reporting is offered on a daily basis (D), based on CET	All metrics are provided in real-time	AppNexus processes data every hour	Data's refreshness: https://support.google.com/adwords/answer/2544965?hl=en
COMPANY PROFILE	Please, specify the location of the headquarters?	Paris	Paris	Reston, Virginia (USA)	New York	Berlin	New York	New York	Dublin
	Do you have a local office?	Yes	Yes	Yes	Yes	Yes	No, Moat currently has an office in Germany and plans on opening an office in London and add local Paris support early 2016	Yes	Yes
	Do you have a local team support base in France to specific topics / issues about viewability measurement?	Yes	Yes	Yes	Yes	Yes	No. Moat plans on opening an office in London and add local Paris support early 2016	Yes	Yes

Update: 19/01/16

RESULTS & REPORTING	5) What standard metrics do you provide to all your clients?	number of served impressions percentage of served impressions number of valid impressions percentage of valid impressions number of measured impressions percentage of measured impressions measure rate number of exposures that are considered as not visible enough (less than x% of surface seen, less than y seconds of visibility) percentage of exposures that are considered as not visible enough (less than x% of surface seen, less than y seconds of visibility) number of videos percentage of videos number of click-to-play percentage of click-to-play number of auto-play percentage of auto-play number of impressions considered as safe percentage of impressions considered as safe number of detected robots percentage of detected robots number of disabled browsers percentage of disabled browsers number of invalid IP addresses percentage of invalid IP addresses number of impressions owed to invalid traffic percentage of impressions owed to invalid traffic the URL'S percentage of exposures that are considered as visible (visible enough) percentage of exposures that are never seen number of viewable impressions

Update: 19/01/16

RESULTS & REPORTING	6) Regarding the list of metrics, please provide CESP with the method of calculation of the different indicators?	
	number of served impressions	impressions on which our tag is executed and can communicate with our servers
	number of valid impressions	impressions that are considered valid after fraud filtering
	number of measured impressions	valid and safe impressions that could be measured
	percentage of served impressions	impressions on which Adledge tag is executed and can communicate with our servers for the considered item of the considered perimeter / impressions on which Adledge tag is executed and can communicate with our servers for the considered perimeter
	percentage of valid impressions	number of valid impressions / number of served impressions
	measure rate	impressions that were measurable over the number of served impressions
	number of viewable impressions	number of impressions that were viewable according to the MRC definition
	percentage of viewable impressions	number of viewable impressions / number of measured impressions

Update: 19/01/16

RESULTS & REPORTING	5) What standard metrics do you provide to all your clients?	
		% Viewed Alert Type Alerted Impressions Alerted Keyword Blocks Campaign Category Grouping CDIW Impressions Country Creative Daily Unique Cookies Delivery Partner Direct View Time >= 60s Direct View Time 1<5s Direct View Time 5<60s Domain Domain Blocks Domain Impressions Engaged Impressions Engaged Rate Enters Exceptions External Campaign ID
		External Creative ID External Placement ID Filtered Impressions Gross Impressions Gross US GRP Human Impressions Human US GRP IFramed Impressions Internal Traffic Invalid Browser Impressions Measured Impressions Measured Views Network/Server Domain Impressions Non-Human Traffic Impressions Non-PC Impressions

Update: 19/01/16

		comScore.
RESULTS & REPORTING		PC Impression Distribution – Non-Rendered PC Impression Distribution - Not Viewable PC Impression Distribution – Undetermined PC Impression Distribution - Unintended PC Impression Distribution - Viewable PC Impressions PC Measured Impressions PC Measured Rate PC Measured Views PC Non-Rendered Impressions PC Not Viewable - Invalid PC Not Viewable - Measured PC Not Viewable – Total
		PC Undetermined PC View Rate PC Viewability Intended Impressions PC Viewability Unintended Impressions Pixel Impressions

comSCORE.

Update: 19/01/16

RESULTS & REPORTING	**6) Regarding the list of metrics, please provide CESP with the method of calculation of the different indicators?**	
	PC Impressions	Worldwide Desktop Impressions, across tag types, with MRC recommended filtration (MRC Bots and Spiders, Invalid Browsers, and Internal Traffic). These are served Impressions delivered to a desktop computer (based on user agent), then filtered for Robots and Spiders, (In)Valid Browsers, Internal Traffic and Specific identification of (General and Sophisticated) IVT.
	PC Viewability Intended Impressions	Worldwide JavaScript tagged impressions that have been set up for Viewability measurement by comScore at the Desktop level
	PC Measured Impressions	The amount of Worldwide JavaScript tagged impressions comScore can measure for viewability on Desktops, including Display and Video
	PC Measured Rate	The rate at which comScore can measure viewability at the Desktop level. Calculated as PC Measured Impressions / PC Viewability Intended
	PC Measured Views	The amount of Worldwide JavaScript tagged impressions comScore determined were Viewable on Desktops, including Display and Video
	PC Non-Rendered Impressions	Worldwide JavaScript impressions that were not found by the comScore tag due to reasons such as Pre-fetching on google or, in a few cases tagging implementation
	PC Not Viewable - Invalid	The amount of Worldwide Viewability Intended Impressions comScore determined were Not Viewable at the Desktop level because it was flagged as NHT. Note: Only impressions set up for viewability measurement and flagged as NHT are included in this metric. The "NHT" column in the Summary Export reflects all NHT, regardless of whether Viewability was enabled
	PC Not Viewable - Measured	The amount of Worldwide Viewability Intended Impressions comScore determined were Not Viewable at the Desktop level because it did not meet the MRC requirements for viewability (50% pixels in-view for 1+ second

Update: 19/01/16

comScore.

RESULTS & REPORTING	**PC Not Viewable – Total**	The amount of Worldwide Viewability Intended impressions comScore determined were Not Viewable at the Desktop level, including Display and Video Notes: Non-Human Traffic by default is set as Not Viewable.
	PC Undetermined	The amount of Worldwide Viewability Intended Impressions at the Desktop level that comScore could not measure for viewability. This includes – PC: CDIW in Safari (5% of the PC traffic) and CDIW in Webkit browsers where flash is disabled (less than 1% of the PC Traffic) and Mobile cross-domain impressions, All impressions from ads that could not be found by the comScore ad tag. These can be generated by a variety of reasons, including incorrectly implemented tags.
	PC View Rate	The Desktop View Rate currently including Worldwide Display and Video. This metric is calculated as PC Measured Views / PC Measured Impressions

Update: 19/01/16

RESULTS & REPORTING	5) What standard metrics do you provide to all your clients?	3MS report: - Total Unblocked Impressions - In-View Impressions - Out-of-View Impressions - Suspicious Unblocked Impressions - Total Out of View Impressions - Measured Impressions - Unmeasured Impressions - Viewable Rate (%) - Measured Rate (%) - Impressions Distribution - % In View - Impressions Distribution - % Out of View - Impressions Distribution - % Unmeasured Integral provides many more metrics that are undisclosed in this grid

Update: 19/01/16

Integral
Ad Science

RESULTS & REPORTING	**6) Regarding the list of metrics, please provide CESP with the method of calculation of the different indicators?**	
	Total Unblocked Impressions	The number of impressions in the campaign that were not blocked
	In-View Impressions	The number of viewable impressions in the campaign where at least 50% of the ad was in view for a cumulative time of at least 1 second (2 seconds for video) as per IAB Standards
	Out-of-View Impressions	The number of impressions in the campaign that were unviewable
	Suspicious Unblocked Impressions	The number of impressions in the campaign that were identified as potentially originating from non-human traffic and likely to be fraudulent.
	Total Out of View Impressions	The number of impressions in the campaign that were unviewable or likely to be fraudulent. [Out-of-View Impressions + Suspicious Impressions]
	Measured Impressions	The number of impressions for which we were able to collect viewability data. [In-View Impressions + Out-of-View Impressions + Suspicious Impressions]
	Unmeasured Impressions	The number of impressions in the campaign that were not blocked but for which we were unable to make a viewability or fraud measurement. [Total Unblocked Impressions - Measured Impressions]
	Measured Rate (%)	Measured Impressions as a percentage of Total Unblocked Impressions. [Measured Impressions / Total Unblocked Impressions]
	Viewable Rate (%)	In-View Impressions as a percentage of Measured Impressions. [In View Impressions / Measured Impressions]
	Impressions Distribution - % In View	In-View Impressions as a percentage of Total Unblocked Impressions.
	Impressions Distribution - % Out of View	Out-of-View Impressions as a percentage of Total Unblocked Impressions.
	Impressions Distribution - % Unmeasured	Unmeasured Impressions as a percentage of Total Unblocked Impressions.

Update: 19/01/16

RESULTS & REPORTING		

	5) What standard metrics do you provide to all your clients?	Viewable Impressions
		Non-Viewable Served
		Impressions with Viewable Status Undetermined
		Rendered, Served Impression
		Measured Rate
		Viewable Rate
		Impression Distribution
		  (a) Viewable (%)
		  (b) Non-Viewable (%)
		  (c) Undetermined (%)
		
		+ Possibilty to define personalised metrics (eg: 70% & 2 seconds)

	6) Regarding the list of metrics, please provide CESP with the method of calculation of the different indicators?	
	Rendered, Served Impression	All non-crawler (GIVT) impressions where the Measurement script has been added, irrespective of whether their viewability status was determined or not.
	Viewable Impressions	All impressions that became viewable based on the MRC definition.
	Non-Viewable Served	All impressions that were measured but not viewable are non-viewable served impressions.
	Impressions with Viewable Status Undetermined	Is obtained by subtracting the sum of viewable and non-viewable impressions from the total served impression count.
	Measured Rate	Measured impressions divided by Total rendered, served impressions
	Viewable Rate	Viewable impressions divided by Number of Measured impressions

MOAT

Update: 19/01/16

RESULTS & REPORTING	5) What standard metrics do you provide to all your clients?	Display: Impressions Analyzed (MRC accredited metric) Percentage of Total Impressions In-View Measurable Impressions (MRC accredited metric) In-View Impressions (MRC accredited metric) InView Rate (MRC accredited metric) Fully on-screen Measurable Impressions (MRC accredited metric) Fully on-screen Measurable Impressions no Time minimum) (MRC accredited metric) 1 Sec Fully on-screen Impressions (MRC accredited metric) 1 Sec Fully on-screen Rate (MRC accredited metric) In view time (MRC accredited metric) Total Exposure Time Average Minute Audience Universal Interaction Rate Universal Interaction Time Total Ad Dwell Time Hover Rate Time Until Hover Attention Quality Scroll Rate (MRC accredited metric) Time Until Scroll Universal Touch Rate Time Until Touch Active Page Dwell Time Click Rate Moat Index Moat Score Moat In-View Time Buckets
		Video: Impressions Analyzed (MRC accredited metric) Percentage of Total Impressions In-View Measurable Impressions and Rate (MRC accredited metric) 1 Sec In-View Impressions and Rate 2 Sec In-View Impressions and Rate (MRC accredited metric) 5 Sec In-View Impressions and Rate Fully On-Screen Measurable Impressions (MRC accredited metric) Fully On-Screen Impressions and Rate (No Time Minimum) (MRC accredited metric) 1 Sec Fully On-Screen Impressions and Rate Averaged Ad Duration In-View Time % of Video Played In-View (MRC accredited metric)

MOAT

RESULTS & REPORTING		Exposure Time Average Minute Audience Reached 1st Quartile Rate Reached 2nd Quartile Rate Reached 3rd Quartile Rate Reached Complete Rate (MRC accredited metric) Audible On 1st Quartile Rate (MRC accredited metric) Audible On 2nd Quartile Rate (MRC accredited metric) Audible On 3rd Quartile Rate (MRC accredited metric) Audible On Complete Rate (MRC accredited metric) Visible On 1st Quartile Rate (MRC accredited metric) Visible On 2nd Quartile Rate (MRC accredited metric) Visible On 3rd Quartile Rate (MRC accredited metric) Visible On Completion Rate (MRC accredited metric) Audible and Visible at 1st Quartile Rate Audible and Visible at 2nd Quartile Rate Audible and Visible at 3rd Quartile Rate Audible and Visible on Complete Rate (MRC accredited metric) Audible and Fully On-Screen for Half of Duration Impressions and Rate (MRC accredited metric) Completion Quality Hover Rate Time Until Hover Small Player Rate Below the Fold Rate Out of Focus Rate
	6) Regarding the list of metrics, please provide CESP with the method of calculation of the different indicators?	
	Impressions Analyzed	The number of impressions tracked by Moat
	In-View Measurable Impressions	The number of impressions where viewability was measurable
	In-View Impressions	Number of impressions where at least 50% of an ad was In-View for at least one continuous second
	In-View Rate	Percentage of impressions where at least 50% of an ad was In-View for at least one continuous second. If the ad is larger in area than 970x250 (eg. 300x1050 or 970x418), then it only needs to have 30% of its area In-View

Update: 19/01/16

RESULTS & REPORTING		appnexus
	5) What standard metrics do you provide to all your clients?	AppNexus report on all the metrics required by the MRC: Downloaded impressions View-Measured Impressions Viewability Measurement Rate Viewable Impressions Viewability Rate Non viewable impressions Undetermined impressions Distributions: undetermined, viewable, non viewable However, it is possible to add some viewable metrics, defined custom viewability definitions on top of the standard IAB ones
	6) Regarding the list of metrics, please provide CESP with the method of calculation of the different indicators?	
	View-Measured Imps	The total number of impressions that were measured for viewability
	Viewability Measurement Rate	The percentage of impressions measured for viewability out of the total number of impressions. (View Measured Imps / Imps)
	Viewable Imps	The number of measured impressions that were viewable, per the IAB Viewability definition, which states that 50% of the pixels of a creative are in-view during 1 consecutive second
	Viewability Rate	The percentage of impressions that were viewable out of the total number of impressions measured for viewability. (Viewed Imps / View Measured Imps)

Update: 19/01/16

		Google
RESULTS & REPORTING	**5) What standard metrics do you provide to all your clients?**	Viewable Count Non-Viewable Count Measurable Count Unmeasurable Count Eligible Count Total Count Measurable Rate Viewable Rate Viewable / Eligible Non-Viewable / Eligible Unmeasurable / Eligible Average Viewable Time
	6) Regarding the list of metrics, please provide CESP with the method of calculation of the different indicators?	https://support.google.com/dcm/partner/faq/6188567?hl=en
	Active View - % measurable impressions	The percentage of impressions that were measurable with Active View, out of the total number of eligible impressions
	Active View - % viewable impressions	The percentage of viewable impressions out of all measurable impressions For example, say the ads on a given site had 100 measurable impressions. That means there were 100 impressions where Active View tags were able to measure viewability. If only 10 of those 100 impressions were measured as viewable, then the site would have 10% viewable impressions
	Active View - eligible impressions	The total number of impressions that were eligible to measure viewability. An impression is eligible if the ad unit has a supported creative format and tag type
	Active View - impression distribution (not measurable)	Percentage of measurable impressions where measurement was attempted, but failed. Impression Distribution (not measurable) is calculated using the following formula: Not measurable impressions / Active View eligible impressions
	Active View - impression distribution (not viewable)	Percentage of measurable impressions where measurement was attempted, succeeded and the ad was deemed non-viewable. Impression distribution (not viewable) is calculated using the following formula: Not viewable impressions / Active View eligible impressions

Update: 19/01/16

Google

RESULTS & REPORTING	Active View - impression distribution (viewable)	Percentage of measurable impressions where measurement was attempted, succeeded and the ad was deemed viewable. This metric differs from % Viewable Impressions, as it is the number of viewable impressions of ads where measurement is eligible, but not necessarily successful. This metric will be less than or equal to % Viewable Impressions, because the number of measurable impressions is always less than or equal to the total number of impressions. Impression distribution (viewable) is calculated using the following formula: Viewable impressions / Active View eligible impressions
	Active View - measurable impressions	The total number of impressions that were measurable with Active View. An ad is measurable when the Active View tag successfully captured viewability information about the impression.
	Active View - not measurable impressions	The total number of impressions that were not measurable with Active View. An ad is not measurable when the Active View tag fails to capture viewability information about the impression.
	Active View - not viewable impressions	Total number of impressions that were measured, but deemed not viewable. An ad is counted as viewable if at least 50% of its pixels appeared on screen for at least one second for display ads or two seconds for video ads, regardless of screen resolution.
	Active View - viewable impressions	The number of impressions on the site that were viewable out of all measurable impressions. An ad is counted as viewable if at least 50% of its pixels appeared on screen for at least one second for display ads or two seconds for video ads, regardless of screen resolution. All viewable ads are measurable, because you can't confirm that an ad has met the criteria for viewability unless it can be measured.